electric MODULAR CONTACTOR WITH MANUAL CONTROL, ONE OR TWO-POLE, 32A AC1, 24VAC/DC

ENERGY AND AUTOMATION




5				MODULAR
Product designation				CONTACTOR
Product type designat	ion			CNM
Operating voltage type	Э			AC/DC
Manual control				YES
Number of poles				2
Number of DIN modu	es			1
Electrical features				
	air thermal current Ith		A	32
Operational current A			Α	32
Operational current A			Α	9
Rated insulation voltage	-		V	440
Rated impulse withsta	• •		kV	4
Minimum switching ca				≥17V ≥50mA
	pole (average value) Ith		W	2.5
Control circuit				- 0 4 - 0 / 7 - 0
Auxiliary rated supply	voltage Us			24VAC/DC
Auxiliary contacts		NO	Nr.	2
Average coil consump	otion ≤20°C			
		in-rush	W	2.5
		holding	W	2.5
Operating voltage				
	pick-up			
		min	%Us	85
		max	%Us	110
	drop-out			
		min	%Us	20
		max	%Us	75
Operating times				
Average time				
	Closing NO			
		min	ms	15
		max	ms	45
	Opening NO			
		min	ms	25
		max	ms	50
Operations				
Mechanical life			cycles	3000000
Electrical life AC-3			cycles	500000
Electrical life AC1			cycles	150000
Ambient conditions				
Operating temperature	e			
		min	°C	-25
		max	°C	+70

electric MODULAR CONTACTOR WITH MANUAL CONTROL, ONE OR TWO-POLE, 32A AC1, 24VAC/DC

ENERGY AND AUTOMATION

Storage temperature			
	min	°C	-30
	max	°C	80
Max altitude		m	2000
Mechanical features			
Fixing			DIN rail 35mm
Tightening torque for coil terminal			
	max	Nm	0.6
	max	lbin	0.6
Tightening torque for terminals			
	max	Nm	1.2
	max	lbin	0.9
Conductor section			
Coil terminal			
	min	mm²	1
	max	mm²	2.5
Power terminal			
	min	mm²	1
	max	mm²	10
Terminals tool			PZ2
Weight		g	135
Resistance & Protection			
Frontal IP degree			IP20
Pollution degree			3
Dimensions			



Wiring diagrams



electric MODULAR CONTACTOR WITH MANUAL CONTROL, ONE OR TWO-POLE, 32A AC1, 24VAC/DC

ENERGY AND AUTOMATION



Certifications and compliance

Compliance

IEC/EN 60947-1

IEC/EN 60947-4-1

IEC/EN 60947-5-1

IEC/EN 61095

Certificates

EAC

ETIM classification

ETIM 8.0

EC000066 -Power contactor, AC switching